EAST SEARCH HISTORY

HITS	QUERY	DATABASE
2	6031539.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
656	face and (3D adj model)	
1	US20020164068A1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	5596362.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
452	(((3D or (three adj dimension$5)) near model) same database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
105	(((3D or (three adj dimension$5)) near model) same database) same (face or feature or body)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	(((3D or (three adj dimension$5)) near model) same database) same (face or feature or body) and (generic or template)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	(((3D or (three adj dimension$5)) near model) same database) same (face or feature or body) and (generic or template or canonical)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	(((3D or (three adj dimension$5)) near model) same database) same (face or feature or body) and (generic or template or canonical or primitive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

| 54 | (US-6720949-$ or US-6711432-$ or US-6694264-$ or US-6654018-$ or US-6648640-$ or US-6618046-$ or US-6593936-$ or US-6556196-$ or US-6504546-$ or US-5495568-$ or US-5687305-$ or US-5845288-$ or US-5926388-$ or US-6032156-$ or US-6154559-$ or US-6307573-$ or US-6381346-$ or US-6496217-$).did. or (US-20040021683-$ or US-20040015327-$ or US-20030235818-$ or US-20030218672-$ or US-20030197779-$ or US-20030193498-$ or US-20030187362-$ or US-20030184544-$ or US-20030123713-$ or US-20030117405-$ or US-20030117402-$ or US-20030117398-$ or US-20030117397-$ or US-20030112235-$ or US-20030096210-$ or US-20030012408-$ or US-20020196328-$ or US-20020180760-$ or US-20020161608-$ or US-20020122573-$ or US-20020116163-$ or US-20020107673-$ or US-20020105530-$ or US-20020085046-$ or US-20020036617-$ or US-20020015934-$).did. or (US-20020006217-$ or US- | USPAT; US-PGPUB |

	Search Query	Databases
13	(((US-6720949-$ or US-6711432-$ or US-6694264-$ or US-6654018-$ or US-6648640-$ or US-6618046-$ or US-6593936-$ or US-6556196-$ or US-6504546-$ or US-5495568-$ or US-5687305-$ or US-5845288-$ or US-5926388-$ or US-6032156-$ or US-6154559-$ or US-6307573-$ or US-6381346-$ or US-6496217-$).did. or (US-20040021683-$ or US-20040015327-$ or US-20030235818-$ or US-20030218672-$ or US-20030197779-$ or US-20030193498-$ or US-20030187362-$ or US-20030184544-$ or US-20030123713-$ or US-20030117405-$ or US-20030117402-$ or US-20030117398-$ or US-20030117397-$ or US-20030112235-$ or US-20030096210-$ or US-20030012408-$ or US-20020196328-$ or US-20020180760-$ or US-20020161608-$ or US-20020122573-$ or US-20020116163-$ or US-20020107673-$ or US-20020105530-$ or US-20020085046-$ or US-20020036617-$ or US-20020015934-$).did. or (US-20020006217-$ or US-	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	covell-m$16.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	US2003011 2996A1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

Hits	Search Query	Databases
1	US20020009222A1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	US20020076080A1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	("5031228" | "5432864" | "5659625" | "5764790" | "5781367" | "5905807" | "5974150" | "5982912" | "6047078" | "6091836" | "6173068").PN.	USPAT
2	6381346.URPN.	USPAT
4	prudent-jean$10.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	9801830	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
572	Koninklijke-Philips$20.as. and (face)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	SYSTEM adj METHOD adj THREE?DIMENSIONAL adj MODELING	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	5710590.PN.	USPAT
0	6496217.URPN.	USPAT
1	5710590.PN.	USPAT
6	6188776.URPN.	USPAT
0	9801830.URPN.	USPAT
11	("5031228" | "5432864" | "5659625" | "5764790" | "5781367" | "5905807" | "5974150" | "5982912" | "6047078" | "6091836" | "6173068").PN.	USPAT
0	20030007700.URPN.	USPAT
1	5710590.PN.	USPAT
0	6496217.URPN.	USPAT
0	20030184544.URPN.	USPAT
4	("5257346" | "5611037" | "5659625" | "5805745").PN.	USPAT

36185	microsoft and (not microsoft$20.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
506	(US-20040063367-$ or US-20040063445-$ or US-20040063480-$ or US-20040063481-$ or US-20040063497-$ or US-20040063744-$ or US-20040063746-$ or US-20040064139-$ or US-20040064210-$ or US-20040064253-$ or US-20040064258-$ or US-20040064268-$ or US-20040064273-$ or US-20040064288-$ or US-20040064316-$ or US-20040064320-$ or US-20040064327-$ or US-20040064330-$ or US-20040064332-$ or US-20040064341-$ or US-20040064346-$ or US-20040064348-$ or US-20040064349-$ or US-20040064351-$ or US-20040059987-$ or US-20040059994-$).did. or (US-20040059996-$ or US-20040060005-$ or US-20040060007-$ or US-20040060014-$ or US-20040060018-$ or US-20040060037-$ or US-20040060044-$ or US-20040060049-$ or US-20040060054-$ or US-20040060055-$ or US-20040060056-$ or US-20040060305-$ or US-20040060425-$ or US-	US-PGPUB					
36185	microsoft and (microsoft and (not microsoft$20.as.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					

| 506 | microsoft and ((US-
20040063367-$ or US-
20040063445-$ or US-
20040063480-$ or US-
20040063481-$ or US-
20040063497-$ or US-
20040063744-$ or US-
20040063746-$ or US-
20040064139-$ or US-
20040064210-$ or US-
20040064253-$ or US-
20040064258-$ or US-
20040064268-$ or US-
20040064273-$ or US-
20040064288-$ or US-
20040064316-$ or US-
20040064320-$ or US-
20040064327-$ or US-
20040064330-$ or US-
20040064332-$ or US-
20040064341-$ or US-
20040064346-$ or US-
20040064348-$ or US-
20040064349-$ or US-
20040064351-$ or US-
20040059987-$ or US-
20040059994-$).did. or (US-
20040059996-$ or US-
20040060005-$ or US-
20040060007-$ or US-
20040060014-$ or US-
20040060018-$ or US-
20040060037-$ or US-
20040060044-$ or US-
20040060049-$ or US-
20040060054-$ or US-
20040060055-$ or US-
20040060056-$ or US-
20040060305-$ or US- | USPAT; US-PGPUB;
EPO; JPO; DERWENT;
IBM_TDB |

microsoft and (((US-	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB						
0							
20040063367-$ or US-							
20040063445-$ or US-							
20040063480-$ or US-							
20040063481-$ or US-							
20040063497-$ or US-							
20040063744-$ or US-							
20040063746-$ or US-							
20040064139-$ or US-							
20040064210-$ or US-							
20040064253-$ or US-							
20040064258-$ or US-							
20040064268-$ or US-							
20040064273-$ or US-							
20040064288-$ or US-							
20040064316-$ or US-							
20040064320-$ or US-							
20040064327-$ or US-							
20040064330-$ or US-							
20040064332-$ or US-							
20040064341-$ or US-							
20040064346-$ or US-							
20040064348-$ or US-							
20040064349-$ or US-							
20040064351-$ or US-							
20040059987-$ or US-							
20040059994-$).did. or (US-							
20040059996-$ or US-							
20040060005-$ or US-							
20040060007-$ or US-							
20040060014-$ or US-							
20040060018-$ or US-							
20040060037-$ or US-							
20040060044-$ or US-							
20040060049-$ or US-							
20040060054-$ or US-							
20040060055-$ or US-							
20040060056-$ or US-							
20040060305-$ or US-							

	Search Query		Databases
3	microsoft and ((US-20040063367-$ or US-20040063445-$ or US-20040063480-$ or US-20040063481-$ or US-20040063497-$ or US-20040063744-$ or US-20040063746-$ or US-20040064139-$ or US-20040064210-$ or US-20040064253-$ or US-20040064258-$ or US-20040064268-$ or US-20040064273-$ or US-20040064288-$ or US-20040064316-$ or US-20040064320-$ or US-20040064327-$ or US-20040064330-$ or US-20040064332-$ or US-20040064341-$ or US-20040064346-$ or US-20040064348-$ or US-20040064349-$ or US-20040064351-$ or US-20040059987-$ or US-20040059994-$).did. or (US-20040059996-$ or US-20040060005-$ or US-20040060007-$ or US-20040060014-$ or US-20040060018-$ or US-20040060037-$ or US-20040060044-$ or US-20040060049-$ or US-20040060054-$ or US-20040060055-$ or US-20040060056-$ or US-20040060305-$ or US-		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22094	(microsoft and (not microsoft$20.as.)) and @py<2003		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13650	(microsoft and (not microsoft$20.as.)) and @py<2003		USPAT

304	(US-6484310-$ or US-6484309-$ or US-6484276-$ or US-6484274-$ or US-6484262-$ or US-6484261-$ or US-6484257-$ or US-6484247-$ or US-6484226-$ or US-6500563-$ or US-6500171-$ or US-6500069-$ or US-6500067-$ or US-6499665-$ or US-6499132-$ or US-6499115-$ or US-6499102-$ or US-6499109-$ or US-6499075-$ or US-6499073-$ or US-6499062-$ or US-6499055-$ or US-6499052-$ or US-6499050-$ or US-6499049-$ or US-6499040-$).did. or (US-6499036-$ or US-6499027-$ or US-6499026-$ or US-6499013-$ or US-6499002-$ or US-6498988-$ or US-6498955-$ or US-6498792-$ or US-6498791-$ or US-6498758-$ or US-6498656-$ or US-6498611-$ or US-6498571-$ or US-6498284-$ or US-6498176-$ or US-6498013-$ or US-6497664-$ or US-6497483-$ or US-6497368-$ or US-D467235-$ or US-6496983-$ or US-6496981-$ or US-6496980-$ or US-6496977-$ or US-6496956-$ or US-6501488-$ or US-6501557-$).did. or (US-6501561-$ or US-6501732-$ or US-6501750-$ or US-6501758-$ or US-6501834-$	USPAT				
13650	((microsoft and (not microsoft$20.as.)) and @py<2003) and microsoft	USPAT				

304	((US-6484310-$ or US-6484309-$ or US-6484276-$ or US-6484274-$ or US-6484262-$ or US-6484261-$ or US-6484257-$ or US-6484247-$ or US-6484226-$ or US-6500563-$ or US-6500171-$ or US-6500069-$ or US-6500067-$ or US-6499665-$ or US-6499132-$ or US-6499115-$ or US-6499109-$ or US-6499102-$ or US-6499075-$ or US-6499073-$ or US-6499062-$ or US-6499055-$ or US-6499052-$ or US-6499050-$ or US-6499049-$ or US-6499040-$).did. or (US-6499036-$ or US-6499027-$ or US-6499026-$ or US-6499013-$ or US-6499002-$ or US-6498988-$ or US-6498955-$ or US-6498792-$ or US-6498791-$ or US-6498758-$ or US-6498656-$ or US-6498611-$ or US-6498571-$ or US-6498284-$ or US-6498176-$ or US-6497664-$ or US-6498013-$ or US-6497483-$ or US-6497368-$ or US-D467235-$ or US-6496983-$ or US-6496981-$ or US-6496980-$ or US-6496977-$ or US-6496956-$ or US-6501488-$ or US-6501557-$).did. or (US-6501561-$ or US-6501732-$ or US-6501750-$ or US-6501758-$ or US-6501834-$	USPAT		
0	20020164068	USPAT	
0	20020164068.pn.	USPAT	
0	US20020164068A1	USPAT	
1	US20020164068A1	USPAT; US-PGPUB; JPO; DERWENT; IBM_TDB	

0|9801830.URPN.

USPAT

EAST SEARCH TAGGED

patent #	type	pub date	title	class1	class2	inventor				
US 6031539 A	USPAT	20000229	Facial image method and apparatus for semi-automatically mapping a face on to a wireframe topology	345/419		Kang, Sing Bing et al.				
US 20030184544 A1	US-PGPUB	20031002	Modeling human beings by symbol manipulation	345/419		Prudent, Jean Nicholson				
US 20030007700 A1	US-PGPUB	20030109	Method and apparatus for interleaving a user image in an original image sequence	382/282		Gutta, Srinivas et al.				
US 6664956 B1	USPAT	20031216	Method for generating a personalized 3-D face model	345/419	345/473	Erdem, A. Tanju				
US 6496217 B1	USPAT	20021217	Video communication system using model-based coding and prioritization techniques	348/14.12	348/14.08; 348/14.13	Piotrowski, Tony E.				
US 6381346 B1	USPAT	20020430	Three-dimensional face identification system	382/118	345/420; 345/49; 382/154; 382/199; 382/285	Eraslan, Arsev H.				
US 6188776 B1	USPAT	20010213	Principle component analysis of images for the automatic location of control points	382/100	345/419; 382/107; 382/155	Covell, Michele et al.				
WO 9801830 A	DERWENT	19980115	Image processing method for real-time applications e.g. video conferencing - in which image is coded in terms of movement of shape and/or muscle models having predetermined inter-relationship			PINCEMAIL, C et al.				